

### Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

#### Listing of Claims:

1-12. (Canceled)

13. (Currently amended) A mobile communication terminal having a telephone function, a data communication function, and a visual telephone function, comprising:

a camera including an image sensor which picks up images;

~~a display unit which displays images;~~

a data type identifying unit which identifies whether in-coming information, that is received from the outside of the mobile communication terminal when a call is received, is sound data, text data, or image and sound data, based on a data type information which was appended in advance as a header to in-coming information;

a registering unit which stores a plurality of application programs including at least an application program for executing the visual telephone function;

a display unit which displays images and displays contents of the data type information prior to line connection after receiving the in-coming information;

a sound output unit which audibly outputs contents of the data type information prior to line connection after receiving the in-coming information; and

a control unit which selects one of the application programs in correspondence with the data type information, which is appended to in-coming information and is identified by the data type identifying unit, and activates the selected application program.

14. (Previously presented) A mobile communication terminal according to claim 13, wherein the plurality of application programs further includes an application program for executing a telephone function and an application program for executing a data communication function.

15-16. (Canceled)

17. (Currently amended) A mobile communication terminal having a telephone function, a data communication function, and a visual telephone function, comprising:

- a body;
- a detachable imaging unit having an image sensor which is detachable to the body;
- a visual telephone controller which enables the visual telephone function when the detachable imaging unit is attached to the body;
- ~~a display unit which displays images;~~
- a data type identifying unit which identifies whether in-coming information is sound data, text data, or image and sound data, based on a data type information which was appended in advance as a header to in-coming information;
- a registering unit which stores a plurality of application programs including at least an application program for executing the visual telephone function; and
- a display unit which displays images and displays contents of the data type information prior to line connection after receiving the in-coming information;
- a sound output unit which audibly outputs contents of the data type information prior to line connection after receiving the in-coming information; and
- a control unit which select one of the application programs in correspondence with the data type information, which is appended to in-coming information and is identified by the data type identifying unit, and activates the selected application program.

18. (Previously presented) A mobile communication terminal according to claim 17, wherein the plurality of application programs further includes an application program for executing a telephone function and an application program for executing a data communication function.

19-20. (Canceled)

21. (Previously presented) A mobile communication terminal according to claim 17, wherein the visual telephone controller comprises an attachment status

detecting unit which detects whether the detachable imaging unit is attached to the body when the data type identifying unit has determined that the in-coming information includes image and sound data when a call is received, and the control unit visually or audibly informs a message suggesting attachment of the detachable imaging unit when the attachment status detecting unit has determined that the detachable imaging unit is not attached to the body.

22-24. (Canceled)

25. (Previously presented) A mobile communication terminal according to claim 17, wherein the body has a slot connector, the detachable imaging unit has a card slot section into which the slot connector can be inserted to connect with the card slot section, and the output from the image sensor can be transmitted to the body by inserting the slot connector into the card slot section.

26. (Previously presented) A visual telephone system comprising:  
the mobile communication terminal according to claim 13; and  
a base station which sends to the mobile communication terminal data including data type information as a header.

27. (Previously presented) A visual telephone system comprising:  
the mobile communication terminal according to claim 17; and  
a base station which sends to the mobile communication terminal data including data type information as a header.

28-30. (Canceled)

31. (New) A mobile communication method using a mobile communication terminal having a telephone function, a data communication function, and a visual telephone function, comprising:

receiving in-coming information from the outside of the mobile communication terminal when a call is received;

displaying contents of the data type information prior to line connection after receiving the in-coming information;

audibly outputting contents of data type information prior to line connection after receiving the in-coming information; and

activating one of application programs, which are stored in a registering unit and include at least an application program for executing the visual telephone function, in correspondence with data type information which is appended to in-coming information in advance as a header.